

PRODUCT-DETAILS

SDA-F-2.1.1-WL

SDA-F-2.1.1-WL Sensor/dim actuator, 2/1gang, wireless for ABB-free@home®



Ogólne informacje

Extended Product Type	SDA-F-2.1.1-WL
ID Produktu	2CKA006200A0078
Numer EAN	4011395215678
Opis katalogowy	SDA-F-2.1.1-WL Sensor/dim actuator, 2/1gang, wireless for ABB-free@home®

Opis

For dimming 230 V~ loads. Communication with the free@home system is carried out wireless. With integrated universal dimming actuator for controlling LEDs, incandescent lamps, 230 V halogen lamps, low-voltage halogen lamps with conventional or electronic transformers, and dimmable energy-saving halogen lamps. For dimmable Retrofit-LEDs (LEDi). Dimming function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. 2-wire connection (neutral conductor not required) 3-wire connection technology is possible as an option for improved load behaviour (for details see the online operating manual). With 230 V extension unit input (dimming brighter/darker, switching). With fixing claws.

Charakterystyka zamówienia

Numer EAN	4011395215678
Kod taryfy celnej	85389091
Minimalna ilość zamówienia	1 sztuka
E-Number (Finland)	2815616

E-Number (Sweden)

1701230

Wymiary

Głębokość produktu netto	0.045 m
Wysokość produktu netto	0.071 m
Szerokość produktu netto	0.071 m
Waga produktu netto	0.11 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395215678
Długość opakowania (poziom 1)	0.158 m
Wysokość opakowania (poziom 1)	0.065 m
Szerokość opakowania (poziom 1)	0.086 m
Waga opakowania brutto (poziom 1)	198 g

Dane techniczne

Stopień ochrony obudowy	IP20
Rodzaj montażu	Flush Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Arkusz danych, informacja techniczna	2CKA001473B9110
Deklaracja zgodności - CE	2CKA100000E2643
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Klasyfikacje

ETIM 5	EC001094 - Dimming actuator for bus system
ETIM 6	EC001094 - Dimming actuator for bus system
ETIM 7	EC001094 - Dimming actuator for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → free@home → Lighting Control → Universal Dim Actuators

