

PRODUCT-DETAILS

## **WBI-S-1-64-WL**

## WBI-S-1-64-WL free@home window sensor, wireless for ABB-free@home®



General Information	
Extended Product Type	WBI-S-1-64-WL
Product ID	2CKA006200A0101
EAN	4011395215906
Catalog Description	WBI-S-1-64-WL free@home window sensor, wireless for ABB-free@home®
Long Description	For monitoring and transmission of the current window handle position (window open, closed, tilted). The status can be visualized on the free@home panel and in the free@home app. The window sensor is installed between the available window handle and the window frame. Existing window handle is used. Suitable for window handle: 7 mm square fastener, 43 mm attachment screw separation, lifter dia. 10 and 12 mm, max. mounting plate size 34 x 77 mm (WxH). No wire laying required. Mounting accessories (square extension, screws, adapter for cams) for the window sensor are included in scope of delivery. Battery included in scope supply. Battery type: CR2 Notification in case of low battery capacity in the free@home app.

Ordering	
EAN	4011395215906
Customs Tariff Number	85389099
Minimum Order Quantity	1 piece
E-Number (Sweden)	1701243

Dimensions	
Product Net Depth /	0.013 m
Length	

Product Net Height	0.168 m
Product Net Width	0.038 m
Product Net Weight	0.24 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 EAN	4011395215906
Package Level 1 Depth / Length	0.24 m
Package Level 1 Height	0.057 m
Package Level 1 Width	0.088 m
Package Level 1 Gross Weight	240 g

Technical	
Degree of Protection	IP20
Mounting Type	Miscellaneous

Certificates and Declarations (Document Number)	
Declaration of	2CKA100000E2515
Conformity - CE	
RoHS Information	9AKK104295D8727

Environmental	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Classifications	
ETIM 5	EC000926 - Physical sensor for bus system
ETIM 6	EC000926 - Physical sensor for bus system
ETIM 7	EC000926 - Physical sensor for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Home\ and\ Building\ Automation \rightarrow free@home \rightarrow Safety\ and\ Security \rightarrow Magnetic\ Contacts$ 

WBI-S-1-64-WL

3

