

PRODUCT-DETAILS

SSA-F-2.2.PB.1-WL

SSA-F-2.2.PB.1-WL Sensor/switch actuator 2/2gang, wireless for ABB-free@home®



Ogólne informacje

Extended Product Type	SSA-F-2.2.PB.1-WL
ID Produktu	2CKA006200A0110
Numer EAN	4011395215999
Opis katalogowy	SSA-F-2.2.PB.1-WL Sensor/switch actuator 2/2gang, wireless for ABB-free@home®
Opis	For switching 230 V~ consumers. Communication with the free@home system is carried out wireless. With integrated 2gang switch actuator. Switching function is available also without prior programming (both sensor channels are pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. 3 wire connection (neutral conductor required). With two 230 V extension unit inputs (On/Off). With fixing claws.

Charakterystyka zamówienia

Numer EAN	4011395215999
Kod taryfy celnej	85389091
Minimalna ilość zamówienia	1 sztuka

Wymiary

Głębokość produktu netto	0.045 m
Wysokość produktu netto	0.071 m
Szerokość produktu netto	0.071 m
Waga produktu netto	0.103 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395215999
Długość opakowania (poziom 1)	0.078 m
Wysokość opakowania (poziom 1)	0.058 m
Szerokość opakowania (poziom 1)	0.092 m
Waga opakowania brutto (poziom 1)	102 g

Dane techniczne

Stopień ochrony obudowy	IP20
Rodzaj montażu	Flush Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E3572
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Klasyfikacje

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - Switch actuator for bus system
ETIM 7	EC001097 - Switch actuator for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → free@home → Standard Outputs → Switch Actuators 6 A

