


PRODUCT-DETAILS

TLM/U.1.1-CG

TLM/U.1.1-CG Room outdoor sensor with card reader Standard customization



Ogólne informacje

Extended Product Type	TLM/U.1.1-CG
ID Produktu	2CKA006300A1550
Numer EAN	4011395230855
Opis katalogowy	TLM/U.1.1-CG Room outdoor sensor with card reader Standard customization
Opis	Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. For reading mifare RF cards. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. With integrated KNX bus coupler. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply

Charakterystyka zamówienia

Numer EAN	4011395230855
Kod taryfy celnej	85365080
Minimalna ilość zamówienia	1 sztuka
E-Number (Finland)	2814665

Wymiary

Wysokość produktu netto	0.086 m
Szerokość produktu netto	0.086 m

Waga produktu netto	0.104 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395230855
Długość opakowania (poziom 1)	0.282 m
Wysokość opakowania (poziom 1)	0.064 m
Szerokość opakowania (poziom 1)	0.148 m
Waga opakowania brutto (poziom 1)	210 g

Dane techniczne

Compatible Bus Systems	KNX
Stopień ochrony obudowy	IP20
Rodzaj montażu	Surface Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	DEBJE-2CKA006300A1550-ROHS
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Klasyfikacje

ETIM 5	EC000782 - Access control unit for bus system
ETIM 6	EC000782 - Access control unit for bus system
ETIM 7	EC000782 - Access control unit for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → User Operation - tacteo → Room Numbers and Corridor Sensors

