


## PRODUCT-DETAILS

# TKM/U.3.1-CG

## TKM/U.3.1-CG Card holder programmable Standard customization



### Ogólne informacje

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | TKM/U.3.1-CG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| ID Produktu           | 2CKA006300A1589                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Numer EAN             | 4011395231272                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Opis katalogowy       | TKM/U.3.1-CG Card holder programmable Standard customization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Opis                  | Ordering possible only in connection with the design ID. For inserting and evaluating of mifare RF cards. The icons and/or texts are configured by means of a web configuration tool. With integrated KNX bus coupler. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply |

### Charakterystyka zamówienia

|                            |               |
|----------------------------|---------------|
| Numer EAN                  | 4011395231272 |
| Kod taryfy celnej          | 85365080      |
| Minimalna ilość zamówienia | 1 sztuka      |
| E-Number (Finland)         | 2814661       |

### Wymiary

|                         |         |
|-------------------------|---------|
| Wysokość produktu netto | 0.086 m |
|-------------------------|---------|

|                          |         |
|--------------------------|---------|
| Szerokość produktu netto | 0.115 m |
| Waga produktu netto      | 0.21 kg |

## Informacje o pakowaniu

|                                   |               |
|-----------------------------------|---------------|
| Jednostka opakowania (poziom 1)   | 1 sztuka      |
| EAN opakowania (poziom 1)         | 4011395231272 |
| Długość opakowania (poziom 1)     | 0.282 m       |
| Wysokość opakowania (poziom 1)    | 0.064 m       |
| Szerokość opakowania (poziom 1)   | 0.148 m       |
| Waga opakowania brutto (poziom 1) | 210 g         |

## Dane techniczne

|                         |                 |
|-------------------------|-----------------|
| Compatible Bus Systems  | KNX             |
| Stopień ochrony obudowy | IP20            |
| Rodzaj montażu          | Surface Mounted |

## Certyfikaty i deklaracje (Numer dokumentu)

|                           |                 |
|---------------------------|-----------------|
| Deklaracja zgodności - CE | 2CKA100000E4231 |
| Dane RoHS                 | 9AKK104295D8727 |

## Normy środowiskowe

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| Status RoHS | Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami |
|-------------|-----------------------------------------------------------------|

## Klasyfikacje

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000782 - Access control unit for bus system              |
| ETIM 6        | EC000782 - Access control unit for bus system              |
| ETIM 7        | EC000782 - Access control unit for bus system              |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → User Operation - tacteo → Transponder Readers and Card Holders

