

PRODUCT-DETAILS

6478-94-507

6478-94-507 Cover plate



Ogólne informacje

Extended Product Type	6478-94-507
ID Produktu	2CKA006400A0011
Numer EAN	4011395151693
Opis katalogowy	6478-94-507 Cover plate
Opis	For USB charging station 6474 U. With protective function against lateral slipping of the mobile telephone. Suitable for devices with a maximum thickness of 18 mm. With frontal mounting option of connecting cable.

Charakterystyka zamówienia

Numer EAN	4011395151693
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Waga produktu netto	0.063 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
---------------------------------	----------

Szerokość opakowania (poziom 1)	0.092 m
Wysokość opakowania (poziom 1)	0.058 m
Długość opakowania (poziom 1)	0.078 m
Waga opakowania brutto (poziom 1)	63 g
EAN opakowania (poziom 1)	4011395151693

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Kolor	alpine white
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Flush Mounted
Typ produktu	Cover plate
Nazwa produktu	Cover plate
Product Range	USB charging devices
ID produktu zastąpiącego	6400-0-0011
Data RoHS	20110506
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E5690
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → CoverPlates (partly incl. Insert) → Charging Devices

