

PRODUCT-DETAILS

## 6474 U-500

# 6474 U-500 USB charging station insert



General Information	
Extended Product Type	6474 U-500
Product ID	2CKA006400A0033
EAN	4011395156421
Catalog Description	6474 U-500 USB charging station insert
Long Description	For supply and support of mobile devices via USB-cable. With micro USB connecting cable. Connecting cable joined captive to insert. Usable cable length (incl. micro USB plug) approx. 22 cm. With electronic short-circuit protection. With electronic overload protection.

E-Number (Sweden)	5100505
EAN	4011395156421
Minimum Order Quantity	1 piece
Customs Tariff Number	85043180

Product Net Width	0.071 m
Product Net Height	0.071 m
Product Net Depth / Length	0.035 m
Product Net Weight	0.11 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	112 g
Package Level 1 EAN	4011395156421
Package Level 2 Units	10 piece
Package Level 2 Width	0.168 m
Package Level 2 Height	0.112 m
Package Level 2 Depth / Length	0.298 m
Package Level 2 Gross Weight	1.12 kg

#### **Environmental**

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Auxiliary Voltage AC/DC	100 V AC/DC
	230 V AC/DC
Connection Type	USB
Degree of Protection	IP20
Input Voltage (U <sub>in</sub> )	100240 V
Mounting Type	Flush Mounted
Output Current	1400 mA
Output Voltage (U <sub>out</sub> )	55 V
Product Main Type	USB charging station insert
Product Name	USB charging station insert
Product Range	USB charging devices
Replaced Product ID	6400-0-0033
(OLD)	
RoHS Date	20110620

### **Certificates and Declarations (Document Number)**

Declaration of	2CKA100000E1564
Conformity - CE	
Instructions and Manuals	DEBJE-6474_BA_ABB_DinA4-Online_ger
RoHS Information	9AKK104295D8727

### Classifications

ETIM 5	EC001781 - Power supply consumer electronics
ETIM 6	EC001781 - Power supply consumer electronics
ETIM 7	EC001781 - Power supply consumer electronics
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

6474 U-500 3

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Charging\ Devices \rightarrow Cha$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Alpha  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  Charging Device Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \rightarrow\ Design\ Busch-Balance\ SI\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Dynasty \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \to Switch\ Assortments \to Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \to Design\ SI \to Flush\ Mounted\ Inserts \to Charging\ Device\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$ 

