

PRODUCT-DETAILS

6480-84-500

6480-84-500 Busch-powerDock complete set with lightning connector



General Information

Extended Product Type	6480-84-500
Product ID	2CKA006400A0045
EAN	4011395224618
Catalog Description	6480-84-500 Busch-powerDock complete set with lightning connector
Long Description	Complete set ready to install for charging mobile terminal devices with Apple lightning connection. Makes possible fast charging of the mobile terminal device. For iPhone XS Max, iPhone XS, iPhone XR, iPhone X. For iPhone 8 Plus, iPhone 8. For iPhone 7 Plus, iPhone 7. For iPhone SE. For iPhone 6s Plus, iPhone 6s, iPhone 6 Plus, iPhone 6. For iPhone 5s, iPhone 5c, iPhone 5. For iPod touch (6th generation), iPod touch (5th generation), iPod nano (7th generation). Suitable for use with protective covers certified by Apple. Consisting of Busch-powerDock insert 6473 U. Consisting of Busch-powerDock charging cradle with lightning connection 6473. Consisting of the cover plate for the Busch-powerDock charging cradle. Consisting of 1gang future® linear cover frames.

Ordering

EAN	4011395224618
Minimum Order Quantity	1 piece
Customs Tariff Number	85044055

Dimensions

Product Net Width	0.081 m
Product Net Height	0.081 m

Product Net Depth / Length	0.074 m
Product Net Weight	0.288 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.089 m
Package Level 1 Depth / Length	0.179 m
Package Level 1 Gross Weight	288 g
Package Level 1 EAN	4011395224618
Package Level 2 Units	10 piece
Package Level 2 Width	0.368 m
Package Level 2 Height	0.102 m
Package Level 2 Depth / Length	0.51 m
Package Level 3 Units	360 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.072 m
Package Level 3 Depth / Length	1.2 m

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Auxiliary Voltage AC/DC	100 V AC/DC 230 V AC/DC
Color	studio white
Connection Type	Pluggable
Degree of Protection	IP20
Input Voltage (U _{in})	100...240 V
Mounting Type	Flush Mounted
Output Current	2100 mA
Output Voltage (U _{out})	5...5 V
Product Main Type	Busch-powerDock complete set with lightning connector
Product Name	Busch-powerDock complete set with lightning connector
Product Range	USB charging devices
Replaced Product ID (OLD)	6400-0-0045
RoHS Date	20160315

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0639
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001781 - Power supply consumer electronics
--------	--

ETIM 6	EC001781 - Power supply consumer electronics
ETIM 7	EC001781 - Power supply consumer electronics
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Charging Devices

