

0.285 kg

PRODUCT-DETAILS

Length

Product Net Weight

# 6480/11-84-500

# 6480/11-84-500 Busch-powerDock Complete set with USB-C connection



| General Information   |   |
|-----------------------|---|
| Extended Product Type | 6480/11-84-500  |
| Product ID            | 2CKA006400A0047   |
| EAN                   | 4011395224632   |
| Catalog Description   | 6480/11-84-500 Busch-powerDock Complete set with USB-C connection   |
| Long Description      | Complete set ready to install for charging mobile terminal devices with USB-C connection. With quick charging function for devices compatible with quick-chargeTM.  Makes possible fast charging of the mobile terminal device. Consisting of Busch-powerDock insert 6473 U. Consisting of Busch-powerDock charging cradle with USB-C connection 6473/11. Consisting of the cover plate for the Busch-powerDock charging cradle. Consisting of 1gang future® linear cover frames. |

| Ordering               |              |
|------------------------|--------------|
| EAN                    | 401139522463 |
| Minimum Order Quantity | 1 pieco      |
| Customs Tariff Number  | 85044055     |
| Dimensions             |              |
| Dimensions             |              |
| Product Net Width      | 0.081 n      |
| Product Net Height     | 0.081 n      |
| Product Net Depth /    | 0.074 n      |

| Container Information             |               |
|-----------------------------------|---------------|
| Package Level 1 Units             | 1 piece       |
| Package Level 1 Width             | 0.1 m         |
| Package Level 1 Height            | 0.089 m       |
| Package Level 1 Depth /<br>Length | 0.179 m       |
| Package Level 1 Gross<br>Weight   | 285 g         |
| Package Level 1 EAN               | 4011395224632 |
| Package Level 2 Units             | 10 piece      |
| Package Level 2 Width             | 0.368 m       |
| Package Level 2 Height            | 0.102 m       |
| Package Level 2 Depth /<br>Length | 0.51 m        |
| Package Level 3 Units             | 360 piece     |
| Package Level 3 Width             | 0.8 m         |
| Package Level 3 Height            | 1.072 m       |
| Package Level 3 Depth /<br>Length | 1.2 m         |

## **Environmental**

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

| Additional Information             |  |
|------------------------------------|--|
| Auxiliary Voltage AC/DC            | 100 V AC/DC  |
|                                    | 230 V AC/DC  |
| Color                              | studio white                                       |
| Connection Type                    | Pluggable  |
| Degree of Protection               | IP20   |
| Input Voltage (U <sub>in</sub> )   | 100240 V   |
| Mounting Type                      | Flush Mounted                                      |
| Output Current                     | 2100 mA  |
| Output Voltage (U <sub>out</sub> ) | 59 V   |
| Product Main Type                  | Busch-powerDock Complete set with USB-C connection |
| Product Name                       | Busch-powerDock Complete set with USB-C connection |
| Product Range                      | USB charging devices                               |
| Replaced Product ID                | 6400-0-0047  |
| (OLD)                              |  |
| RoHS Date                          | 20160315   |

### **Certificates and Declarations (Document Number)**

| Declaration of   | 2CKA100000E0641 |
|------------------|-----------------|
| Conformity - CE  |                 |
| RoHS Information | 9AKK104295D8727 |

#### Classifications

| ETIM 5        | EC001781 - Power supply consumer electronics               |
|---------------|--|
| ETIM 6        | EC001781 - Power supply consumer electronics               |
| ETIM 7        | EC001781 - Power supply consumer electronics               |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

6480/11-84-500

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Charging\ Devices\ \rightarrow\$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Dynasty \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Charging\ Devices$ 

