

PRODUCT-DETAILS

6473/11-500

6473/11-500 Busch-powerDock Charging cradle with USB-C connection



General Information

Extended Product Type	6473/11-500
Product ID	2CKA006400A0083
EAN	4011395252994
Catalog Description	6473/11-500 Busch-powerDock Charging cradle with USB-C connection
Long Description	For Busch-powerDock insert 6473 U. For attaching mobile terminal devices with USB-C connection.

Ordering

EAN	4011395252994
Minimum Order Quantity	1 piece
Customs Tariff Number	85049090

Dimensions

Product Net Width	0.054 m
Product Net Height	0.054 m
Product Net Depth / Length	0.036 m
Product Net Weight	0.028 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	56 g
Package Level 1 EAN	4011395252994
Package Level 2 Units	10 piece
Package Level 2 Width	0.168 m
Package Level 2 Height	0.112 m
Package Level 2 Depth / Length	0.298 m
Package Level 2 Gross Weight	646 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Busch-powerDock Charging cradle with USB-C connection
Product Name	Busch-powerDock Charging cradle with USB-C connection
Product Range	USB charging devices
Replaced Product ID (OLD)	6400-0-0083
RoHS Date	20161130
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0644
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Charging Device Inserts

