

PRODUCT-DETAILS

6414-101

6414-101 Brightness sensor



General Information

Extended Product Type	6414-101
Product ID	2CKA006410A0389
EAN	4011395122327
Catalog Description	6414-101 Brightness sensor
Long Description	For insert 6411U/S-101. With 2 m connecting cable. Measuring range: 15-50,000 lux.

Ordering

EAN	4011395122327
Minimum Order Quantity	1 piece
Customs Tariff Number	85389091

Dimensions

Product Net Weight	0.015 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.036 m
Package Level 1 Height	0.068 m
Package Level 1 Depth /	0.074 m

Length

Package Level 1 Gross Weight	25 g
Package Level 1 EAN	4011395122327
Package Level 2 Units	10 piece
Package Level 2 Width	0.154 m
Package Level 2 Height	0.074 m
Package Level 2 Depth / Length	0.191 m
Package Level 2 Gross Weight	325 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Mounting Type	Not article-related
Product Main Type	Brightness sensor
Product Name	Brightness sensor
Product Range	Flush-mounted installation boxes and inserts
Replaced Product ID (OLD)	6410-0-0389
RoHS Date	20090206

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E5771
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001591 - Sensor for venetian blind/time switches
ETIM 6	EC001591 - Sensor for venetian blind/time switches
ETIM 7	EC001591 - Sensor for venetian blind/time switches
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Blind & Venetian Control → Electronic Blind / Venetian Push Button
→ Electronic Blind / Venetian Push Button - Flush Mounted → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP
44) → Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent →
Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI
→ Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty
→ Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless
Steel → Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

