


PRODUCT-DETAILS

6415-500

6415-500 Busch-Blind control II cut-off relay 2gang



General Information

Extended Product Type	6415-500
Product ID	2CKA006410A0395
EAN	4011395176276
Catalog Description	6415-500 Busch-Blind control II cut-off relay 2gang
Long Description	For jointly switching 2 blind drives via a 230 V contact maker (UP/DOWN) (e.g. 6411 U/x -101). For grouping more than 2 blinds, several cut-off relays can be controlled parallel. For installation in commercially available SM-or flush mounted boxes.

Ordering

EAN	4011395176276
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Dimensions

Product Net Weight	0.096 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.154 m
Package Level 1 Height	0.074 m

Package Level 1 Depth / Length	0.191 m
Package Level 1 Gross Weight	960 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Auxiliary Voltage AC/DC	230 V AC/DC
Frequency (f)	50...50 Hz
Mounting Type	Flush Mounted
Number of Outputs	2
Product Main Type	Busch-Blind control II cut-off relay
Product Name	Busch-Blind control II cut-off relay 2gang
Product Range	Blind management
Rated Voltage (U _r)	230 V
Replaced Product ID (OLD)	6410-0-0395
RoHS Date	20120724

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E1588
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001593 - Isolator relay venetian blind
ETIM 6	EC001593 - Isolator relay venetian blind
ETIM 7	EC001593 - Isolator relay venetian blind
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Blind & Venetian Control → Electronic Blind / Venetian Push Button
→ Electronic Blind / Venetian Push Button - Flush Mounted → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP
44) → Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent →
Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI
→ Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty
→ Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless
Steel → Flush Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush
Mounted Inserts → Electronic Blind / Venetian Inserts

