

## PRODUCT-DETAILS

# 2250 U-500

2250 U-500 Busch-rotary dimmer flush mounted, R, 60-600 W



## General Information

|                       |                                                                                                                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 2250 U-500                                                                                                                                                                                         |
| Product ID            | 2CKA006515A0848                                                                                                                                                                                    |
| EAN                   | 4011395175422                                                                                                                                                                                      |
| Catalog Description   | 2250 U-500 Busch-rotary dimmer flush mounted, R, 60-600 W                                                                                                                                          |
| Long Description      | With rotary control, 2way On-Off switching and soft-catch. Leading Edge control. For incandescent lamps and 230 V tungsten halogen lamps. With adjustable minimum brightness. Without cover plate. |

## Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | 1360030       |
| EAN                    | 4011395175422 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85365080      |

## Dimensions

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.157 kg |
|--------------------|----------|

## Container Information

|                       |         |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 0.092 m |

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Height         | 0.058 m       |
| Package Level 1 Depth / Length | 0.078 m       |
| Package Level 1 Gross Weight   | 157 g         |
| Package Level 1 EAN            | 4011395175422 |
| Package Level 2 Units          | 10 piece      |
| Package Level 2 Width          | 0.168 m       |
| Package Level 2 Height         | 0.112 m       |
| Package Level 2 Depth / Length | 0.298 m       |
| Package Level 2 Gross Weight   | 1.74 kg       |
| Package Level 3 Units          | 1620 piece    |
| Package Level 3 Width          | 0.8 m         |
| Package Level 3 Height         | 1.158 m       |
| Package Level 3 Depth / Length | 1.2 m         |
| Package Level 3 Gross Weight   | 295.4 kg      |

## Environmental

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|-----------------------------------------------------------------|

## Additional Information

|                                 |                                                          |
|---------------------------------|----------------------------------------------------------|
| Actuator Type                   | Turn/push button                                         |
| Auxiliary Voltage AC/DC         | 230 V AC/DC                                              |
| Connection Type                 | Screw                                                    |
| Frequency (f)                   | 50...50 Hz                                               |
| Load Type                       | Resistive load                                           |
| Material                        | Material quality: Thermoplastic<br>Material: Plastic     |
| Mounting Type                   | Flush Mounted                                            |
| Product Main Type               | Busch-rotary dimmer                                      |
| Product Name                    | Busch-rotary dimmer flush mounted, R, 60-600 W           |
| Product Range                   | Flush-mounted installation boxes and inserts             |
| Rated Voltage (U <sub>r</sub> ) | 207...253 V                                              |
| Replaced Product ID (OLD)       | 6515-0-0848                                              |
| RoHS Date                       | 20120713                                                 |
| Surface Finishing               | Surface protection: Untreated<br>Surface finishing: Matt |

## Certificates and Declarations (Document Number)

|                                |                                     |
|--------------------------------|-------------------------------------|
| Declaration of Conformity - CE | 2CKA100000E1654                     |
| Instructions and Manuals       | DEBJE-2250_BJE_OA_2012-12-17_DE_R01 |
| RoHS Information               | 9AKK104295D8727                     |

## Classifications

|        |                   |
|--------|-------------------|
| ETIM 5 | EC000025 - Dimmer |
| ETIM 6 | EC000025 - Dimmer |

ETIM 7

EC000025 - Dimmer

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Rotary Dimmer - Flush Mounted → Rotary Dimmer Inserts

