

PRODUCT-DETAILS

6586/14

6586/14 Busch-Dimmer® MDRC, LED, 20-800 W



Ogólne informacje

Extended Product Type	6586/14
ID Produktu	2CKA006590A0192
Numer EAN	4011395251768
Opis katalogowy	6586/14 Busch-Dimmer® MDRC, LED, 20-800 W

Opis

Touch dimmer with local operation. Optimised for dimming of retrofit LED lamps (LEDi). For dimmable Retrofit-LEDs (LEDi). For dimmable Retrofit-LEDs (LEDi) with conventional or electronic transformers. For incandescent lamps, 230V tungsten halogen lamps and low-voltage halogen lamps with conventional transformers or electronic transformers and dimmable halogen energy-saving lamps. Mix operation of LEDi with conventional loads possible. With the following functions: memory, snooze, wake-up, children's room, central off, cleaning light and time function. For staircase lighting control with automatic switch-off and warning function according to DIN 18015-2. Supports the adherence to the energy saving ordinance (EnEV 2014). Low-noise level by MOSFET transistors. With electronic short-circuit protection. With electronic overload protection. With manually adjustable operating mode: trailing / leading edge control. With adjustable minimum/maximum brightness. With light value storage. Operation also possible via conventional push buttons (2020 US, 2021/6 UK). Extension unit input for short switching pulses (push-button) and continuous contact (switch/timer). Extension unit input designed as wide voltage input (8-230 V; AC/DC); galvanic isolation. Nominal voltage: 110 - 230 V, +10% / -10% Rated frequency: 50 Hz/60 Hz Nominal power: 20 - 300 W/VA (leading edge control in 230 V~ networks) Nominal power: 40 - 800 W/VA (trailing edge control in 230 V~ networks) Nominal power: 20 - 150 W/VA (leading edge control in 110/127 V~ networks) Nominal power: 40 - 400 W/VA (trailing edge control in 110/127 V~ networks)

Charakterystyka zamówienia

E-Number (Finland)	2619378
Numer EAN	4011395251768
Minimalna ilość	1 sztuka

zamówienia

Kod taryfy celnej	85365080
-------------------	----------

Wymiary

Waga produktu netto	0.143 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.12 m
Wysokość opakowania (poziom 1)	0.096 m
Długość opakowania (poziom 1)	0.126 m
Waga opakowania brutto (poziom 1)	208 g
EAN opakowania (poziom 1)	4011395251768

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Typ napędu	Push button
Napięcie pomocnicze AC/DC	110 V AC/DC 230 V AC/DC
Brand / Label	Busch-Jaeger
Kolor	grey
Częstotliwość (f)	50...60 Hz
Rodzaj obciążenia	Universal and LED Retrofit
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Mounted Din Rail Component
Typ produktu	Busch-Dimmer®
Nazwa produktu	Busch-Dimmer® MDRC, LED, 20-800 W
Product Range	Busch-Dimmer®
Napięcie znamionowe (U_I)	207...253 V
Data RoHS	20160901
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	DEBJE-2CKA006590A0192-ROHS
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000025 - Dimmer
--------	-------------------

ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Rotary Dimmer - DIN Rail

