

PRODUCT-DETAILS

2117/11 U-500

2117/11 U-500 Busch-rotary dimmer flush mounted, DALI, with internal power supply



General Information	
Extended Product Type	2117/11 U-500
Product ID	2CKA006599A2988
EAN	4011395152225
Catalog Description	2117/11 U-500 Busch-rotary dimmer flush mounted, DALI, with internal power supply
Long Description	For DALI broadcast service (via central telegram). With integrated DALI power adaptor. For switching and dimming up to 64 DALI- devices like electronic ballasts and transformers with DALI-interface. With rotary control and ON/OFF push operation. With electronic short-circuit protection. With electronic overload protection. Brightness power-on level and backround brightness level adjustable, buffered. With integrated LED illumination for orientation. Color of orientation light adjustable (18 presets and OFF). Up to 5 potentiometers are connectable in parallel. Up to 3 potentiometers are connectable in parallel in active mode. Not suitable for combining with other DALI sensors or central units of other manufacturers. DALI-voltage: 15,5 V= Rated current: max. 75 mA Power consumption: < 2,5 W Number of DALI-units: 37 in case of one active power-potentiometer in case of three active power-potentiometer in parallel connection: 111 Active mode: the potentiometer is supporting the necessary control circuit for other DALI-devices. Passive mode: the potentiometer is suitable as additional operation point. Max. DALI-cable length: 300 m (1,5 - 2,5 mm²). Without cover plate.

Ordering	
E-Number (Finland)	2619369
E-Number (Sweden)	1360205
EAN	4011395152225
Minimum Order Quantity	1 piece
Customs Tariff Number	85334090

4011395152225

Dimensions

Product Net Weight	0.096 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	96 g

Package Level 1 EAN

|--|

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Additional information	
Actuator Type	Turn/push button
Auxiliary Voltage AC/DC	230 V AC/DC
Degree of Protection	IP20
Frequency (f)	5060 Hz
Mounting Type	Flush Mounted
Product Main Type	Busch-rotary dimmer
Product Name	Busch-rotary dimmer flush mounted, DALI, with internal power supply
Product Range	Flush-mounted installation boxes and inserts
Rated Current (In)	0.075 A
Rated Voltage (U _r)	230 V
Replaced Product ID (OLD)	6599-0-2988
RoHS Date	20160628

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E1718
Instructions and	DEBJE-2117_BA_ABB_DinA4-Online_chn
Manuals	
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000025 - Dimmer
ETIM 6	EC000534 - Automatic controller for light controlling system
ETIM 7	EC000534 - Automatic controller for light controlling system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

2117/11 U-500 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

Low Voltage Products and Systems \rightarrow Switch Assortments \rightarrow Flush Mounted VDE Range - Busch-Jaeger \rightarrow Design Allwetter 44 (IP 44) \rightarrow Flush Mounted Inserts \rightarrow Rotary Dimmer Inserts

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Alpha\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \rightarrow\ Design\ Busch-Balance\ SI\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Dynasty \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Electronic\ Rotary\ /\ Push\ Button\ Dimmer\ (all\ Loads\ incl.\ LED,\ DALI) \rightarrow Rotary\ Dimmer\ -\ Flush\ Mounted\ \rightarrow\ Rotary\ Dimmer\ Inserts$

