

PRODUCT-DETAILS

6730-884

6730-884 WaveLINE LED display



Ogólne informacje

Extended Product Type	6730-884
ID Produktu	2CKA006730A0026
Numer EAN	4011395130353
Opis katalogowy	6730-884 WaveLINE LED display

Opis

For status display of window handle positions: open = red, closed = green, tilted = yellow.
 Direct onsite operation possible for switching / dimming an electrical device depending on the flush-mounted insert. 4 individual LED display channels. Up to 8 WaveLine transmitters can be taught-in on each LED display channel. Up to 8 WaveLine transmitters can be taught-in on onsite operation. After a power cut all LED-Display channels light in red. The cyclic telegram repeat of the WaveLINE window position sensor 6720-xxx sensor automatically updates the window open state. Status display for depleted WaveLINE transmitter battery. Status display for faulty transmission link and defective WaveLINE transmitter. User-friendly start-up without PC / software. Printed labelling sheet with 8 different inlay sheets. For WaveLINE window position sensor 6720-6x. For WaveLINE 6721-xx universal signalling unit. For Busch-Watchdog 220 WaveLINE 6747 AGM. For Busch-Universal relay switch insert 6404 U. For universal dimmer switch insert 6595 U. /. Free-field range: approx. 100 m. Send/receive frequency: 868 MHz.

Charakterystyka zamówienia

Numer EAN	4011395130353
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Szerokość produktu netto	0.063 m
Wysokość produktu netto	0.063 m
Waga produktu netto	0.032 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.092 m
Wysokość opakowania (poziom 1)	0.058 m
Długość opakowania (poziom 1)	0.078 m
Waga opakowania brutto (poziom 1)	102 g
EAN opakowania (poziom 1)	4011395130353

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Zastosowanie	Control of electrical users
Brand / Label	Busch-Jaeger
Kolor	studio white matt
Stopień ochrony obudowy	IP20
Rodzaj montażu	Flush Mounted
Number of Buttons	2
Typ produktu	WaveLINE LED display
Nazwa produktu	WaveLINE LED display
Product Range	carat®
ID produktu zastąpionego	6730-0-0026
Data RoHS	20090902
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E1805
Instrukcje i podręczniki	DEBJE-0173-1-6686
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000205 - Intelligent control element
ETIM 6	EC000205 - Intelligent control element
ETIM 7	EC000205 - Intelligent control element
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Electronic Push Button → Electronic Push Button - Flush Mounted → Electronic Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Electronic Push Button

