

PRODUCT-DETAILS

6736/01-884

6736/01-884 ZigBee Light Link wall-mounted transmitter 2-channel



Ogólne informacje

Extended Product Type	6736/01-884
ID Produktu	2CKA006730A0124
Numer EAN	4011395200841
Opis katalogowy	6736/01-884 ZigBee Light Link wall-mounted transmitter 2-channel

Opis	2gang wall-mounted transmitter independent of mains power supply. For the wireless remote control of other ZigBee Light Link radio components. For saving and calling up 4 light scenes. For dimming 2 light scenes. For combining with/integrating in other systems which operate with the ZigBee Light Link protocol, such as Philips hue. With labelling field. Without enclosed labelling sheet. Compatible lettering software is available at www.busch-jaeger-labelingtool.com. Send/receive frequency: 2.4 GHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery type CR2450 (included in scope of delivery) Battery service life: typically 3 years. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.
------	--

Charakterystyka zamówienia

Numer EAN	4011395200841
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85176200

Wymiary

Szerokość produktu netto	0.064 m
Wysokość produktu netto	0.064 m
Głębokość produktu netto	0.018 m
Waga produktu netto	0.12 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.092 m
Wysokość opakowania (poziom 1)	0.058 m
Długość opakowania (poziom 1)	0.078 m
Waga opakowania brutto (poziom 1)	120 g
EAN opakowania (poziom 1)	4011395200841

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Napięcie pomocnicze AC/DC	3 V AC/DC
Brand / Label	Busch-Jaeger
Kolor	studio white matt
Stopień ochrony obudowy	IP20
Rodzaj montażu	Flush Mounted
Number of Channels	2
Typ produktu	ZigBee Light Link wall-mounted transmitter
Nazwa produktu	ZigBee Light Link wall-mounted transmitter 2-channel
Product Range	Remote control
ID produktu zastąpionego	6730-0-0124
Data RoHS	20150328
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E1850
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000257 - Transmitter/Remote control for domestic switching devices
--------	--

ETIM 6	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 7	EC000257 - Transmitter/Remote control for domestic switching devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Electronic Push Button → Electronic Push Button - Flush Mounted → Electronic Push Button
- Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Electronic Push Button

