

PRODUCT-DETAILS

6737/01-884

6737/01-884 ZigBee Light Link wall-mounted transmitter 4-channel



General Information

Extended Product Type	6737/01-884
Product ID	2CKA006730A0130
EAN	4011395200858
Catalog Description	6737/01-884 ZigBee Light Link wall-mounted transmitter 4-channel
Long Description	4gang wall-mounted transmitter independent of mains power supply. For the wireless remote control of other ZigBee Light Link radio components. For saving and calling up 8 light scenes. For dimming 4 light scenes. For combining with/integrating in other systems which operate with the ZigBee Light Link protocol, such as Philips hue. With labelling field. Without enclosed labelling sheet. Compatible lettering software is available at www.busch-jaeger-labelingtool.com . Send/receive frequency: 2.4 GHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery type CR2450 (included in scope of delivery) Battery service life: typically 3 years. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.

Ordering

EAN	4011395200858
Minimum Order Quantity	1 piece
Customs Tariff Number	85176200

Dimensions

Product Net Width	0.064 m
Product Net Height	0.064 m

Product Net Depth / Length	0.018 m
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	120 g
Package Level 1 EAN	4011395200858

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Auxiliary Voltage AC/DC	3 V AC/DC
Brand / Label	Busch-Jaeger
Color	studio white matt
Degree of Protection	IP20
Mounting Type	Flush Mounted
Number of Channels	4
Product Main Type	ZigBee Light Link wall-mounted transmitter
Product Name	ZigBee Light Link wall-mounted transmitter 4-channel
Product Range	Remote control
Replaced Product ID (OLD)	6730-0-0130
RoHS Date	20150328
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E1856
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 6	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 7	EC000257 - Transmitter/Remote control for domestic switching devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Push Button → Electronic Push Button - Flush Mounted → Electronic Push Button
- Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Electronic Push Button

