

PRODUCT-DETAILS

6800-840-104M-500

6800-840-104M-500 Busch-Watchdog 180 flush-mounted comfort sensor II with multilens



General Information	
Extended Product Type	6800-840-104M-500
Product ID	2CKA006800A2730
EAN	4011395195925
Catalog Description	6800-840-104M-500 Busch-Watchdog 180 flush-mounted comfort sensor II with multi- lens
Long Description	For automatic switching of devices dependent on motion and brightness. For down-to -ground detection. For relay inserts 6401 U-102, 6402 U and 6812 U-101. For MOS-Fet insert 6804 U-101. For Dimmer insert 6593 U. For extension insert 6805 U. With integrated selector switch for ON-AUTOMATIC-OFF (lockable). Soft phase-out: In combination with the 6593 U (mode of operation: Soft OFF) the illumination is dimmed down within 60 sec and switched off. Surveillance density: 28 sectors with 112 switching segments. Switch-off delay: 10 sec to 30 min or short-time pulse 1 sec adjustable.

Ordering	
EAN	4011395195925
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Replacement Product ID (NEW)	2CKA006800A3008

Dimensions	
Product Net Weight	0.075 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	75 g
Package Level 1 EAN	4011395195925

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Brand / Label	ABB
Color	antique brass
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Busch-Watchdog 180 flush-mounted comfort sensor II
Product Name	Busch-Watchdog 180 flush-mounted comfort sensor II with multi-lens
Product Range	carat®
Replaced Product ID (OLD)	6800-0-2730
RoHS Date	20150130

Certificates and Declarations (Document Number)

Declaration of	2CKA100000E2112
Conformity - CE	
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000138 - System movement sensor
ETIM 6	EC000138 - System movement sensor
ETIM 7	EC000138 - Sensor element for movement sensor
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

6800-840-104M-500

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \to Switch\ Assortments \to Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \to Design\ Busch-Dynasty \to CoverPlates\ (partly\ incl.\ Insert) \to Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Movement\ Detectors$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Movement\ Detectors \rightarrow Movement\ Detectors$ $-\ Flush\ Mounted \rightarrow Movement\ Detectors$

