

PRODUCT-DETAILS

499.3

499.3 Flush box It/Am std box



General Information	
Extended Product Type	499.3
Product ID	2CLA049930A1001
EAN	8427238000435
Catalog Description	499.3 Flush box It/Am std box
Long Description	Distance between screws: 83,5 mm.

Ordering	
8427238000435	
25 piece	
85369001	

Dimensions	
Product Net Width	0.217 m
Product Net Height	0.112 m
Product Net Depth / Length	0.363 m
Product Net Weight	0.042 kg

Container Information

499.3

Package Level 1 Units	box 25 piece
Package Level 1 Width	0.217 m
Package Level 1 Height	0.112 m
Package Level 1 Depth / Length	0.363 m
Package Level 1 Gross Weight	1.05 kg
Package Level 1 EAN	8427238000435

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Cable Diameter	08 mm
Color	Black
Degree of Protection	IP20
Design	Device connection box (round/square)
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Various
Product Name	Flush box It/Am std box
Replaced Product ID (OLD)	2CL0049930
Shape	Rectangular
Surface Finishing	Untreated
Tube Diameter	16 mm

Classifications	
ETIM 5	EC000080 - Surface mounted housing for flush mounted switching device
ETIM 6	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ Modular\ Range\ -\ Niessen \rightarrow Design\ Zenit \rightarrow Accessories \rightarrow Flush\ Mounted\ Boxes$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ Modular\ Range\ -\ Niessen \rightarrow Design\ Zenit \rightarrow Centralizations \rightarrow Flush\ Mounted\ Boxes$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ Modular\ Range\ -\ Niessen \rightarrow Design\ Zenit \rightarrow Workstations \rightarrow Flush\ Mounted\ Boxes$

499.3

