

Size: 1 module.

PRODUCT-DETAILS

N2180.4 AN

N2180.4 AN - LED DND signaling light - 1M - Anthracite



General Information	
Extended Product Type	N2180.4 AN
Product ID	2CLA218040N1801
EAN	8427238093857
Catalog Description	N2180.4 AN - LED DND signaling light - 1M - Anthracite
Long Description	Color: Anthracite. Rated voltage: 127-230 Vac / 50-60 Hz Lamp: white LED Luminous flux: > 2 lumen at 1 meter Red diffuser Do Not Disturb (DND) symbol To be controlled with N2244.5 DND/MUR 2-gang interlocked switch

OrderingEAN8427238093857Minimum Order Quantity5 pieceCustoms Tariff Number85389099

Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.27 kg

Container Information	
Package Level 1 Units	box 5 piece
Package Level 1 Width	0.081 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.131 m
Package Level 1 Gross Weight	1.35 kg
Package Level 1 EAN	8427238093857

Environmental

Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information

Color	Anthracite
Degree of Protection	IP20
Lamp Type	LED not exchangeable
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Zenit
Product Name	LED DND signaling light - 1M - Anthracite
Rated Voltage (U _r)	230 V
Replaced Product ID (OLD)	2CL0N218048
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK106930A5902
Instructions and Manuals	2CLX210109N1001

Classifications

ETIM 5	EC000399 - Indication- and signalling lamp
ETIM 6	EC000064 - Information light signal for domestic switching devices
ETIM 7	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

N2180.4 AN 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ Modular\ Range\ -\ Niessen \rightarrow Design\ Zenit \rightarrow Flush\ Mounted\ Inserts\ with\ Cover\ Plate \rightarrow Hotel\ Functions$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Hotel\ Functions \rightarrow Hotel\ Functions \rightarrow Hotel\ Functions \rightarrow Hotel\ Functions$

