

## PRODUCT-DETAILS

# N2185 PL

## N2185 PL - USB charger 750mA, 1-gang - 1M - Silver



### General Information

|                       |                                                                                                                                                                                                                                                                                                                                |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | N2185 PL                                                                                                                                                                                                                                                                                                                       |
| Product ID            | 2CLA218500N1301                                                                                                                                                                                                                                                                                                                |
| EAN                   | 8427238107295                                                                                                                                                                                                                                                                                                                  |
| Catalog Description   | N2185 PL - USB charger 750mA, 1-gang - 1M - Silver                                                                                                                                                                                                                                                                             |
| Long Description      | Color: Silver.<br>Input voltage: 100 - 240 Vac $\pm 10\%$ ; 50/60 Hz<br>Input current: 0,12 A (with maximum load)<br>Output voltage: 5 Vdc $\pm 5\%$<br>Output current: 750 mA<br>Power consumption in stand-by: $\leq 0,3W@230Vac$<br>Energy efficiency: $\geq 66\%$<br>Operating temperature: 0°C to 45°C<br>Size: 1 module. |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8427238107295 |
| Minimum Order Quantity | 5 piece       |
| Customs Tariff Number  | 85043180      |

### Dimensions

|                    |         |
|--------------------|---------|
| Product Net Width  | 22 mm   |
| Product Net Height | 44 mm   |
| Product Net Weight | 0.04 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 5 piece   |
| Package Level 1 Width          | 0.081 m       |
| Package Level 1 Height         | 0.078 m       |
| Package Level 1 Depth / Length | 0.131 m       |
| Package Level 1 Gross Weight   | 0.2 kg        |
| Package Level 1 EAN            | 8427238107295 |

## Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
|-------------------------|--------------------------------------------------|

## Additional Information

|                                            |                                         |
|--------------------------------------------|-----------------------------------------|
| Color                                      | Silver                                  |
| Frequency (f)                              | 50...60 Hz                              |
| Mounting Type                              | Module frame                            |
| Number of Outputs                          | 1                                       |
| Operational Voltage                        | 100...240 V                             |
| Output Current Maximum (I <sub>out</sub> ) | 750 mA                                  |
| Output Voltage (U <sub>out</sub> )         | 5 V                                     |
| Product Main Type                          | Zenit                                   |
| Product Name                               | USB charger 750mA, 1-gang - 1M - Silver |
| Replaced Product ID (OLD)                  | 2CLA218500N1302                         |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK10103A5108  |
| Declaration of Conformity - CE    | 9AKK106930A1760 |
| Instructions and Manuals          | 2CLX228519N1001 |

## Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000018 - Insert/cover for communication technology       |
| ETIM 6        | EC002949 - USB power supply                                |
| ETIM 7        | EC002949 - USB power supply                                |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Charging Devices

