

PRODUCT-DETAILS

N2185 AN

N2185 AN - USB charger 750mA, 1-gang - 1M - Anthracite



General Information

Extended Product Type	N2185 AN
Product ID	2CLA218500N1801
EAN	8427238107288
Catalog Description	N2185 AN - USB charger 750mA, 1-gang - 1M - Anthracite
Long Description	Color: Anthracite. Input voltage: 100 - 240 Vac $\pm 10\%$; 50/60 Hz Input current: 0,12 A (with maximum load) Output voltage: 5 Vdc $\pm 5\%$ Output current: 750 mA Power consumption in stand-by: $\leq 0,3W@230Vac$ Energy efficiency: $\geq 66\%$ Operating temperature: 0°C to 45°C Size: 1 module.

Ordering

EAN	8427238107288
Minimum Order Quantity	5 piece
Customs Tariff Number	85043180

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.035 kg

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	0.081 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.131 m
Package Level 1 Gross Weight	0.175 kg
Package Level 1 EAN	8427238107288

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	Anthracite
Frequency (f)	50...60 Hz
Mounting Type	Module frame
Number of Outputs	1
Operational Voltage	100...240 V
Output Current Maximum (I _{out})	750 mA
Output Voltage (U _{out})	5 V
Product Main Type	Zenit
Product Name	USB charger 750mA, 1-gang - 1M - Anthracite
Replaced Product ID (OLD)	2CLA218500N1802

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK106930A1760
Instructions and Manuals	2CLX228519N1001

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC002949 - USB power supply
ETIM 7	EC002949 - USB power supply
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Charging Devices

