


## PRODUCT-DETAILS

# N2202.5 CV

## N2202.5 CV - Switch 1-gang, 2-way, SP - 2 M - Champagne



### Ogólne informacje

|                       |                                                                                                                                                                                                                                                                                    |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | N2202.5 CV                                                                                                                                                                                                                                                                         |
| ID Produktu           | 2CLA220250N1901                                                                                                                                                                                                                                                                    |
| Numer EAN             | 8427238092928                                                                                                                                                                                                                                                                      |
| Opis katalogowy       | N2202.5 CV - Switch 1-gang, 2-way, SP - 2 M - Champagne                                                                                                                                                                                                                            |
| Opis                  | <p>Color: Champagne.<br/> Rated voltage: 110 - 250 Vac<br/> Rated current: 16 AX.<br/> Rated power iLED (230/127 Vac): 200/100 W.<br/> Screwless terminals<br/> With neutral (N) terminal (4 wires)<br/> Included: indicator LED lamp N2191 VD (230 Vac)<br/> Size: 2 modules.</p> |

### Charakterystyka zamówienia

|                            |               |
|----------------------------|---------------|
| Numer EAN                  | 8427238092928 |
| Minimalna ilość zamówienia | 5 sztuka      |
| Kod taryfy celnej          | 85365080      |

### Wymiary

|                          |         |
|--------------------------|---------|
| Szerokość produktu netto | 44 mm   |
| Wysokość produktu netto  | 44 mm   |
| Waga produktu netto      | 0.04 kg |

## Informacje o pakowaniu

|                                   |               |
|-----------------------------------|---------------|
| Jednostka opakowania (poziom 1)   | box 5 sztuka  |
| Szerokość opakowania (poziom 1)   | 77 mm         |
| Wysokość opakowania (poziom 1)    | 50 mm         |
| Długość opakowania (poziom 1)     | 297 mm        |
| Waga opakowania brutto (poziom 1) | 0.2 kg        |
| EAN opakowania (poziom 1)         | 8427238092928 |

## Normy środowiskowe

|                                 |                                                           |
|---------------------------------|-----------------------------------------------------------|
| Temperatura powietrza otoczenia | Eksplatacja -5 ... +35 °C<br>Przechowywanie -5 ... +50 °C |
|---------------------------------|-----------------------------------------------------------|

## Dodatkowe informacje

|                               |                                                      |
|-------------------------------|------------------------------------------------------|
| Typ napędu                    | Rocker/button                                        |
| Kolor                         | Brass                                                |
| Stopień ochrony obudowy       | IP20                                                 |
| Funkcja                       | Function lighting: Illuminated (on)                  |
| Lamp Type                     | LED exchangeable                                     |
| Materiał                      | Plastic                                              |
| Rodzaj montażu                | Flush mounted (plaster)                              |
| Typ produktu                  | Zenit                                                |
| Nazwa produktu                | Switch 1-gang, 2-way, SP - 2 M - Champagne           |
| Prąd znamionowy ( $I_n$ )     | 16 A                                                 |
| Napięcie znamionowe ( $U_r$ ) | 250 V                                                |
| ID produktu zastąpionego      | 2CL0N220259                                          |
| Surface Finishing             | Surface protection: Decor<br>Surface finishing: Matt |

## Certyfikaty i deklaracje (Numer dokumentu)

|                                      |                 |
|--------------------------------------|-----------------|
| Arkusz danych, informacja techniczna | 9AKK10103A5108  |
| Deklaracja zgodności - CE            | 9AKK106930A5900 |
| Instrukcje i podręczniki             | 2CLX210109N1001 |

## Klasyfikacje

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC001590 - Switch                                          |
| ETIM 6        | EC001590 - Switch                                          |
| ETIM 7        | EC001590 - Switch                                          |
| UNSPSC        | 39122226                                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

## Kategorie

---

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

