

PRODUCT-DETAILS

N2253.1 BL

N2253.1 BL - Key switch 2-way, 3 positions, SP
- 2M - White



General Information

Extended Product Type	N2253.1 BL
Product ID	2CLA225310N1101
EAN	8427238063638
Catalog Description	N2253.1 BL - Key switch 2-way, 3 positions, SP - 2M - White
Long Description	Color: White. Rated voltage: 110 - 250 Vac Rated current: 150mA Key removable in "OFF" position Unique key for each lock Suitable for blinds, shutters, etc. Size: 2 modules.

Ordering

EAN	8427238063638
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.116 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.116 kg
Package Level 1 EAN	8427238063638

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Actuator Type	Key
Color	White
Degree of Protection	IP20
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Zenit
Product Name	Key switch 2-way, 3 positions, SP - 2M - White
Rated Current (I_n)	5 A
Rated Voltage (U_r)	250 V
Replaced Product ID (OLD)	2CL0N225311
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK106930A5900
Instructions and Manuals	2CLX815309A1001

Classifications

ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
UNSPSC	39122226
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

