

PRODUCT-DETAILS

N2260.3 AN

N2260.3 AN - LED rotatory/push dimmer - 2M - Anthracite



C I	Information
t-eneral	Intormation

 Extended Product Type
 N2260.3 AN

 Product ID
 2CLA226030N1801

 EAN
 8427238138343

Catalog Description N2260.3 AN - LED rotatory/push dimmer - 2M - Anthracite

Color: Anthracit

Rated voltage: 230 Vac ± 10%

Frequency: 50 Hz (Nominal power: 250 W/VA) / 60 Hz (Nominal power: 200 W/VA)

Power (min./max load):

- LEDi: 2 / 100 W/VA (max. 10 lamps)

- Dimmable energy saving lamps: 2 / 100 W/VA (max. 10 lamps)

- LV LEDi with transformer (only type L or LC): 4 / 100 W/VA (max. 10 lamps)

- Incandescent lamps: 10 / 250 W/VA

- Halogen lamps: 10 / 250 W/VA

- LV halogen with transformer (only type L or LC): 10 / 250 W/VA (max. 10 lamps)

2 wire connection

Optional: auxiliary on/off with 2-way switch N2X02

Indicator LED lamp included

Back-up fuse: Electronic

Overload protection: Electronic Ambient temperature: 0°C to +35°C

Size: 2 modules.

Ordering

Long Description

EAN	8427238138343
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.08 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	8427238138343

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Actuator Type	Turn button
Color	Anthracite
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	5060 Hz
Load Type	Universal and LED Retrofit
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Zenit
Product Name	LED rotatory/push dimmer - 2M - Anthracite
Rated Voltage (U _r)	230230 V
Replaced Product ID (OLD)	2CL0N226038
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK106930A5901
Instructions and Manuals	2CLX226039N1001

Classifications	
ETIM 5	EC000025 - Dimmer
ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

N2260.3 AN 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ Modular\ Range\ -\ Niessen \rightarrow Design\ Zenit \rightarrow Flush\ Mounted\ Inserts\ with\ Cover\ Plate \rightarrow Dimmers$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Electronic\ Rotary\ /\ Push\ Button\ Dimmer\ (all\ Loads\ incl.\ LED,\ DALI) \rightarrow Push\ Button\ Dimmer\ -\ Flush\ Mounted \rightarrow Dimmers$





