


PRODUCT-DETAILS

N2287.6 CV

N2287.6 CV - French/Earth-pin socket outlet screwless - 2M - Champagne



General Information

Extended Product Type	N2287.6 CV
Product ID	2CLA228760N1902
EAN	8427238112459
Catalog Description	N2287.6 CV - French/Earth-pin socket outlet screwless - 2M - Champagne
Long Description	Color: Champagne. Rated voltage: 250 Vac Rated current: 16A Type E: 2P + E Shuttered for child safety Screwless terminals Size: 2 modules.

Ordering

EAN	8427238112459
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.054 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.05 m
Package Level 1 Depth / Length	0.293 m
Package Level 1 Gross Weight	0.54 kg
Package Level 1 EAN	8427238112459

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	Brass
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	50...60 Hz
Material	Plastic
Mounting Type	Flush mounted (plaster)
Number of Phases	2
Product Main Type	Zenit
Product Name	French/Earth-pin socket outlet screwless - 2M - Champagne
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0N228769ABB
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK107046A9871
Instructions and Manuals	2CLX210109N1001

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

