

PRODUCT-DETAILS

N2288.2 BL

N2288.2 BL - Monoblock Schuko socket outlet - 2M - White



General Information

Extended Product Type	N2288.2 BL
Product ID	2CLA228820N1101
EAN	8427238068251
Catalog Description	N2288.2 BL - Monoblock Schuko socket outlet - 2M - White
Long Description	Color White. Rated voltage: 250 Vac. Rated current: 16A. Type F: 2P + E. Shuttered for child safety. Screw terminals. Monoblock: insert + cover plate + frame + mounting plate. Size: 1-gang / 85 x 85 mm.

Ordering

EAN	8427238068251
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.089 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.174 m
Package Level 1 Height	0.102 m
Package Level 1 Depth / Length	0.238 m
Package Level 1 Gross Weight	0.89 kg
Package Level 1 EAN	8427238068251

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	White
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	50...60 Hz
Material	Plastic
Mounting Type	Flush mounted (plaster)
Number of Phases	2
Product Main Type	Zenit
Product Name	Monoblock Schuko socket outlet - 2M - White
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0N228821
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A5108
Instructions and Manuals	2CLX210109N1001

Classifications

ETIM 5	EC002460 - Socket outlet/plug with protective contact (SCHUKO)
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

