

PRODUCT-DETAILS

N3272 AN

N3272 AN Frame IP55 2G/2M



Ogólne informacje

Extended Product Type	N3272 AN
ID Produktu	2CLA327200N1801
Numer EAN	8427238106694
Opis katalogowy	N3272 AN Frame IP55 2G/2M
Opis	Frames for flush mounted installation. Watertight frame IP55. Anthracite colour. Supplied without mechanisms. With lib that provides the direct operation of the mechanisms, with 120° opening angle. Mounting plate included.

Charakterystyka zamówienia

Numer EAN	8427238106694
Minimalna ilość zamówienia	5 sztuka
Kod taryfy celnej	85389099

Wymiary

Szerokość produktu netto	90 mm
Wysokość produktu netto	161 mm

Waga produktu netto	0.132 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 5 sztuka
Szerokość opakowania (poziom 1)	0.159 m
Wysokość opakowania (poziom 1)	0.104 m
Długość opakowania (poziom 1)	0.202 m
Waga opakowania brutto (poziom 1)	0.66 kg
EAN opakowania (poziom 1)	8427238106694

Normy środowiskowe

Temperatura powietrza otoczenia	Eksplatacja -5 ... +35 °C Przechowywanie -5 ... +50 °C
------------------------------------	---

Dodatkowe informacje

Kolor	Anthracite
Stopień ochrony obudowy	IP55
Materiał	Material quality: Thermoplastic Material: Plastic
Typ produktu	Zenit
Nazwa produktu	Frame IP55 2G/2M
ID produktu zastąpionego	2CL0N327208
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	9AKK10103A5108
Instrukcje i podręczniki	2CLX210109N1001

Klasyfikacje

ETIM 5	EC000007 - Cover frame for domestic switching devices
ETIM 6	EC000007 - Cover frame for domestic switching devices
ETIM 7	EC000007 - Cover frame for domestic switching devices
UNSPSC	39121305
WEEE Category	Product Not in WEEE Scope

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → All Weather
→ Frames Design Zenit Flush Mounted square IP55

