

PRODUCT-DETAILS

8101.5

8101.5 - Switch 1-gang, 1-way, single pole



General Information	
Extended Product Type	8101.5
Product ID	2CLA810150A1001
EAN	8427238021706
Catalog Description	8101.5 - Switch 1-gang, 1-way, single pole
Long Description	Rated voltage: 110 - 250 Vac Rated current: 10AX Screwless terminals Included: fixing claws 3 wire connection (neutral conductor required) Included: indicator LED lamp 6192 BL (230 Vac) Rocker code: 8501.3, 8501.4, 8601.3, 8401.3, 8401.4, 8201.3, 8201.4, 5501.3, 5501.4 & 5501.5

Ordering	
8427238021706	
10 piece	
85365080	

Dimensions	
Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m

Product Net Weight 0.062 kg

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.62 kg
Package Level 1 EAN	8427238021706

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Actuator Type	Rocker/button
Degree of Protection	IP20
Function	Function lighting: Illuminated (on)
Lamp Type	LED exchangeable
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Switch 1-gang, 1-way, single pole
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0810150

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	9AKK106713A1744
Instructions and Manuals	2CLX810109A1001

Classifications	
ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

8101.5

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Mechanical\ Special\ Switches \rightarrow Mechanical\ Special\ Switches \rightarrow Flush\ Mounted \rightarrow Mechanical\ Special\ Switch\ Inserts$

