


PRODUCT-DETAILS

8114.2

8114.2 - Card switch 1-gang, 2-way, double pole



General Information

Extended Product Type	8114.2
Product ID	2CLA811420A1001
EAN	8427238027135
Catalog Description	8114.2 - Card switch 1-gang, 2-way, double pole
Long Description	Rated voltage: 110 - 250 Vac Rated current: 10AX For 54mm width cards Included: fixing claws Included: locator LED lamp 6192 BL (230 Vac) Cover plate code: 8514, 8414, 8214 & 5514

Ordering

EAN	8427238027135
Minimum Order Quantity	10 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m
Product Net Weight	0.064 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.64 kg
Package Level 1 EAN	8427238027135

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Actuator Type	Hotel card
Degree of Protection	IP20
Function	Function lighting: Illuminated (on)
Lamp Type	LED exchangeable
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Card switch 1-gang, 2-way, double pole
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0811420

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	9AKK106713A1744
Instructions and Manuals	2CLX810109A1001

Classifications

ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Hotel Functions

