

PRODUCT-DETAILS

# 8130.2

# 8130.2 - Universal double relay time delayed switch



## **General Information**

**Extended Product Type** 8130.2 Product ID 2CLA813020A1001 EAN 8427238057309 **Catalog Description** 8130.2 - Universal double relay time delayed switch

Rated voltage: 230 V~, +10 % / -10 %

Rated frequency: 50 Hz

For switching incandescent lamps, 230 V tungsten halogen lamps, fluorescent lamps

and low-voltage halogen lamps, that are actuated via transformers.

3 wire connection (neutral conductor required). With operating mode switch for operating mode: switch, time switch.

Switch operating mode: press on the upper rocker switch half to switch the light on,

press on the lower rocker switch half to switch the light off.

Time switch operating mode: press on the upper rocker switch half to switch the light on, the light automatically switches off after a time delay. Manual switching off not

possible. The delay can be set in 5 steps between 30 and 300 secs.

Operation also possible via conventional push buttons 8104.X.

Polling voltage: 230 V~, Sensing pulse, L-wire Outputs: 2 Normally open contacts, potential-bound

Suitable for: ohmic, capacitive and inductive loads

Rated current: 2x 3 AX

Rated power: 2x 700 W/VA

Included: attachable claws.

Electronic cover plate code: 8530, 8430, 8230 & 5530

Long Description

#### **Ordering**

8427238057309

2

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.102 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.052 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.102 kg
Package Level 1 EAN	8427238057309

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Mounting Type	Flush mounted (plaster)
Number of Channels	4
Product Main Type	Wireless
Product Name	Universal double relay time delayed switch
Replaced Product ID (OLD)	2CL0813020

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	9AKK106713A1745

Classifications	
ETIM 5	EC001590 - Switch
ETIM 6	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 7	EC000257 - Transmitter/Remote control for domestic switching devices
UNSPSC	39122226
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

8130.2

### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Timer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Timer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Timer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Timer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Electronic\ Timer\ \rightarrow\ Electronic\ Timer\ -\ Flush\ Mounted\ \rightarrow\ Electronic\ Timer\ Inserts$ 

