

PRODUCT-DETAILS

## 8153.1

## 8153.1 - Key switch 2-way, 3 positions, single pole



General Information	
Extended Product Type	8153.1
Product ID	2CLA815310A1001
EAN	8427238016733
Catalog Description	8153.1 - Key switch 2-way, 3 positions, single pole
Long Description	Rated voltage: 110 - 250 Vac Rated current: 150mA Key removable in "OFF" position Unique key for each lock Suitable for blinds, shutters, etc. Cover plate code: 8553.1 & 8253.1

Ordering	
EAN	8427238016733
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.076 m
Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.142 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.142 kg
Package Level 1 EAN	8427238016733

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Actuator Type	Кеу
Degree of Protection	IP20
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Key switch 2-way, 3 positions, single pole
Rated Current (In)	5 A
Rated Voltage (U <sub>r</sub> )	250 V
Replaced Product ID (OLD)	2CL0815310

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX815309A1001

Classifications	
ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

8153.1

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Special\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Mechanical\ Special\ Switches \rightarrow Mechanical\ Special\ Switches -\ Flush\ Mounted \rightarrow Mechanical\ Special\ Switch\ Inserts$ 

