

PRODUCT-DETAILS

8160

8160 - Rotary dimmer, RL, 20-500 W



General Information

Extended Product Type	8160
Product ID	2CLA816000A1001
EAN	8427238016795
Catalog Description	8160 - Rotary dimmer, RL, 20-500 W
Long Description	Rated voltage: 230 V~, +10 % / -10 %
	Rated frequency: 50 Hz
	With rotary control, 2-way On-Off switching and soft-catch. Leading Edge control.
	Rated power: 20 - 500 W/VA
	For incandescent lamps, 230 V tungsten halogen lamps and low-volt halogen lamps with conventional transformer.
	With adjustable minimum brightness.
	In the case of conventional transformers, take ~20% transformer loss into account.
	Provided with terminal for net disconnection devices.
	Also applicable for 1gang 2way installations.
	Included: fixing claws
	Cover plate code: 8560.2, 8460.2, 8260.2 & 5560

Ordering

EAN	8427238016795
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	0.062 m
-------------------	---------

Product Net Height	0.073 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.166 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.062 m
Package Level 1 Height	0.073 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.166 kg
Package Level 1 EAN	8427238016795

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Actuator Type	Turn button
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	50...50 Hz
Load Type	Resistive load
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Rotary dimmer, RL, 20-500 W
Rated Voltage (U _r)	230...230 V
Replaced Product ID (OLD)	2CL0816000

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
-----------------------------------	-----------------

Classifications

ETIM 5	EC000025 - Dimmer
ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
UNSPSC	39122206
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Movement Detectors → Movement Detectors - Flush Mounted → Dimmer Inserts

