

PRODUCT-DETAILS

8161

8161 - Relay switch



General Information

Extended Product Type	8161
Product ID	2CLA816100A1001
EAN	8427238016818
Catalog Description	8161 - Relay switch
Long Description	Rated voltage: 230 V~, +10 % / -10 % Rated frequency: 50 Hz - 60 Hz 3 wire connection (neutral conductor required). For timer control element 8165.31 or 8165.3 Operation also possible via conventional push buttons 8104.X. Outputs: 1 Normally open contact, potential-bound Suitable for: 230 V incandescent lamps, 230 V halogen lamps, fluorescent lamps and low-voltage halogen lamps, that are operated via transformers. Rated current: 10 AX Rated power: 2300 W/VA Temperature range (Device): -25 °C to 55 °C Included: fixing claws

Ordering

EAN	8427238016818
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	0.062 m
-------------------	---------

Product Net Height	0.073 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.14 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.062 m
Package Level 1 Height	0.073 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.14 kg
Package Level 1 EAN	8427238016818

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Frequency (f)	50...50 Hz
Load Type	Universal
Minimum Switching Capacity	2300...2300 W
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Relay switch
Rated Current (I _n)	10 A
Rated Voltage (U _r)	230 V
Replaced Product ID (OLD)	2CL0816100

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
-----------------------------------	-----------------

Classifications

ETIM 5	EC001590 - Switch
ETIM 6	EC001588 - Electronic switch
ETIM 7	EC001588 - Electronic switch
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Electronic Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Electronic Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Electronic Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Electronic Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Push Button → Electronic Push Button - Flush Mounted → Electronic Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Movement Detectors → Movement Detectors - Flush Mounted → Electronic Switch Inserts

