

## PRODUCT-DETAILS

## 8162.1

## 8162.1 - Time delayed switch with triac



General Information	
Extended Product Type	8162.1
Product ID	2CLA816210A1001
EAN	8427238045740
Catalog Description	8162.1 - Time delayed switch with triad
Long Description	Rated voltage: 230 Vac / 50 Hz Power: - Incandescent: 40 - 500 W - Halogen with transformer: 40 - 400 VA - Motors: 40 - 100 VA 2 wire connection Delay setup: 10 sec. to 10 min. Overcurrent protection: with fuse Indicator LED lamp includec Without fixing claws Operating temperature: 0 - 40°C Cover plate code: 8562, 8462, 8262 & 5566

Ordering	
EAN	8427238045740
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.076 m

Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.1 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8427238045740

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Frequency (f)	5050 Hz
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Inserts - Sky platform
Product Name	Time delayed switch with triac
Rated Current (I <sub>n</sub> )	3 A
Rated Voltage (U <sub>r</sub> )	230 V
Replaced Product ID (OLD)	2CL0816210

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	9AKK106713A1745
Instructions and Manuals	2CLX816229A1001

Classifications	
ETIM 5	EC001594 - Electronic time switch for domestic switching devices
ETIM 6	EC001594 - Electronic time switch for domestic switching devices
ETIM 7	EC001594 - Time switch for domestic switching devices
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

8162.1

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Electronic\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Electronic\ Push\ Button \rightarrow Electronic\ Push\ Button \rightarrow Electronic\ Switch\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Movement\ Detectors \rightarrow Movement\ Detectors - Flush\ Mounted \rightarrow Electronic\ Switch\ Inserts$ 

