

PRODUCT-DETAILS

8180.1

8180.1 - LED signaling light



General Information	
Extended Product Type	8180.1
Product ID	2CLA818010A1001
EAN	8427238063188
Catalog Description	8180.1 - LED signaling light
Long Description	Rated voltage: 127-230 Vac / 50-60 Hz Lamp: white LED Luminous flux: > 2 lumen at 1 meter Without fixing claws Cover plate code: 8581 without pictogram or 8581.XX with pictogram, 8481 (optional 8481.1 pictograms), 8281 (optional 8281.1 pictograms) & 5581 (optional 5581.1 pictograms)

Ordering	
EAN	8427238063188
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.068 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.052 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.068 kg
Package Level 1 EAN	8427238063188

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Color	Clear
Degree of Protection	IP20
Lamp Type	LED not exchangeable
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Electronics
Product Name	LED signaling light
Rated Voltage (U _r)	230 V
Replaced Product ID (OLD)	2CL0818010
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX818019A1001

Classifications	
ETIM 5	EC000399 - Indication- and signalling lamp
ETIM 6	EC000064 - Information light signal for domestic switching devices
ETIM 7	EC000064 - Information light signal for domestic switching devices
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

8180.1

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow LED\ Light\ /\ Light\ Signals \rightarrow LED\ Light\ /\ Light\ Signal\ \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$

