


PRODUCT-DETAILS

## 8180.2

## 8180.2 - LED DND/MUR signaling light



General Information	
Extended Product Type	8180.2
Product ID	2CLA818020A1001
EAN	8427238063201
Catalog Description	8180.2 - LED DND/MUR signaling light
Long Description	Rated voltage: 127-230 Vac / 50-60 Hz Lamp: red/green LED Luminous flux: > 2 lumen at 1 meter Without fixing claws Cover plate code: 8581 without pictogram or 8581.XX with pictogram, 8481 (optional 8481.1 pictograms), 8281 (optional 8281.1 pictograms) & 5581 (optional 5581.1 pictograms)

Ordering	
EAN	8427238063201
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.072 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.052 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.072 kg
Package Level 1 EAN	8427238063201

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Color	Clear
Degree of Protection	IP20
Lamp Type	LED not exchangeable
Material	Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Electronics
Product Name	LED DND/MUR signaling light
Rated Voltage (U <sub>r</sub> )	230 V
Replaced Product ID (OLD)	2CL0818020
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX818019A1001

Classifications	
ETIM 5	EC001959 - LED-lamp/Multi-LED
ETIM 6	EC000064 - Information light signal for domestic switching devices
ETIM 7	EC000064 - Information light signal for domestic switching devices
UNSPSC	39122200
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

8180.2

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow LED\ Light\ /\ Light\ Signals \rightarrow LED\ Light\ /\ Light\ Signal\ \rightarrow LED\ Light\ /\ Light\ Signal\ Inserts$ 

