


PRODUCT-DETAILS

8181.2

8181.2 - Beacon LED light



Ogólne informacje

Extended Product Type	8181.2
ID Produktu	2CLA818120A1001
Numer EAN	8427238063195
Opis katalogowy	8181.2 - Beacon LED light
Opis	Rated voltage: 230 Vac / 50 Hz Lamp: blue and high luminosity white LED (selectable with rotatory switch) Luminous flux: > 2 lumen at 1 meter White diffuser Autonomy: 3 hours (1 hour at maximum illumination 2 hours with lower illumination) Battery: Ni-MH (estimated lifetime: 4 years).

Charakterystyka zamówienia

Numer EAN	8427238063195
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85365080

Wymiary

Szerokość produktu netto	73 mm
Wysokość produktu netto	52 mm
Długość produktu netto	44 mm
Głębokość produktu netto	0.073 m

Waga produktu netto	0.085 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
Szerokość opakowania (poziom 1)	0.073 m
Wysokość opakowania (poziom 1)	0.052 m
Długość opakowania (poziom 1)	0.073 m
Waga opakowania brutto (poziom 1)	0.085 kg
EAN opakowania (poziom 1)	8427238063195

Normy środowiskowe

Temperatura powietrza otoczenia	Eksploatacja -5 ... +35 °C Przechowywanie -5 ... +50 °C
---------------------------------	--

Dodatkowe informacje

Rodzaj podłączenia	Screw
Stopień ochrony obudowy	IP20
Funkcja	Escape route lighting/signage
Materiał obudowy	Plastic
Illuminance	2 lm
Rodzaj napięcia zasilania	AC
Lamp Type	LED not exchangeable
Rodzaj montażu	Built-in
Liczba biegunów	2
Operate Time	1...3 godzina 7 W
Typ produktu	Inserts - Sky platform
Nazwa produktu	Beacon LED light
Klasa zabezpieczeń	Izolowany
Napięcie znamionowe (U_r)	230...230 V
ID produktu zastąpionego	2CL0818120

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	9AKK107046A0356
Instrukcje i podręczniki	2CLX818139A1001

Klasyfikacje

ETIM 5	EC001957 - Emergency luminaire
ETIM 6	EC001957 - Emergency luminaire
ETIM 7	EC001957 - Emergency luminaire
UNSPSC	39111709
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → LED Light / Light Signal Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → LED Light / Light Signal Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → LED Light / Light Signal Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → LED Light / Light Signal Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → LED Light / Light Signals → LED Light / Light Signal → LED Light / Light Signal - Flush Mounted → LED Light / Light Signal Inserts

