


PRODUCT-DETAILS

8185

8185 - USB charger 1.500mA, 2 outlets



General Information

Extended Product Type	8185
Product ID	2CLA818500A1001
EAN	8427238107103
Catalog Description	8185 - USB charger 1.500mA, 2 outlets
Long Description	Input voltage: 100 - 240 Vac $\pm 10\%$; 50/60 Hz Input current: 0,20 A (with maximum load) Output voltage: 5 Vdc $\pm 5\%$ Output current: 1.500 mA (total for both gangs) Power consumption in stand-by: $\leq 0,3W@230Vac$ Energy efficiency: $\geq 71\%$ Operating temperature: 0°C to 35°C Without fixing claws Cover plate code: 8585, 8685, 8485, 8285 & 5585

Ordering

EAN	8427238107103
Minimum Order Quantity	1 piece
Customs Tariff Number	85043180

Dimensions

Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth /	0.073 m

Length

Product Net Weight	0.069 kg
--------------------	----------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.052 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.073 kg
Package Level 1 EAN	8427238107103

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Frequency (f)	50...60 Hz
Mounting Type	Flush mounted (plaster)
Number of Outputs	2
Operational Voltage	100...240 V
Output Current Maximum (I_{out})	1500 mA
Output Voltage (U_{out})	5 V
Product Main Type	Inserts - Sky platform
Product Name	USB charger 1.500mA, 2 outlets
Replaced Product ID (OLD)	2CL0818500

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX228519N1001

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC002949 - USB power supply
ETIM 7	EC002949 - USB power supply
UNSPSC	39121406
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Charging Device Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Charging Device Inserts

