


PRODUCT-DETAILS

8185

8185 - USB charger 1.500mA, 2 outlets



Ogólne informacje

Extended Product Type	8185
ID Produktu	2CLA818500A1001
Numer EAN	8427238107103
Opis katalogowy	8185 - USB charger 1.500mA, 2 outlets
Opis	Input voltage: 100 - 240 Vac $\pm 10\%$; 50/60 Hz Input current: 0,20 A (with maximum load) Output voltage: 5 Vdc $\pm 5\%$ Output current: 1.500 mA (total for both gangs) Power consumption in stand-by: $\leq 0,3W@230Vac$ Energy efficiency: $\geq 71\%$ Operating temperature: 0°C to 35°C Without fixing claws Cover plate code: 8585, 8685, 8485, 8285 & 5585

Charakterystyka zamówienia

Numer EAN	8427238107103
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85043180

Wymiary

Szerokość produktu netto	0.073 m
Wysokość produktu netto	0.052 m

Głębokość produktu netto	0.073 m
Waga produktu netto	0.069 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
Szerokość opakowania (poziom 1)	0.073 m
Wysokość opakowania (poziom 1)	0.052 m
Długość opakowania (poziom 1)	0.073 m
Waga opakowania brutto (poziom 1)	0.073 kg
EAN opakowania (poziom 1)	8427238107103

Normy środowiskowe

Temperatura powietrza otoczenia	Eksplatacja -5 ... +35 °C Przechowywanie -5 ... +50 °C
---------------------------------	---

Dodatkowe informacje

Częstotliwość (f)	50...60 Hz
Rodzaj montażu	Flush mounted (plaster)
Number of Outputs	2
Operational Voltage	100...240 V
Maksymalny prąd wyjściowy (I_{out})	1500 mA
Napięcie wyjściowe (U_{out})	5 V
Typ produktu	Inserts - Sky platform
Nazwa produktu	USB charger 1.500mA, 2 outlets
ID produktu zastąpionego	2CL0818500

Certyfikaty i deklaracje (Numer dokumentu)

Arkusz danych, informacja techniczna	9AKK107046A0356
Instrukcje i podręczniki	2CLX228519N1001

Klasyfikacje

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC002949 - USB power supply
ETIM 7	EC002949 - USB power supply
UNSPSC	39121406
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Device Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Charging Device Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Charging Device Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Charging Device Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Charging Device Inserts

