


PRODUCT-DETAILS

8517 BL

8517 BL - Cover plate for telephone/data outlets - Soft White



General Information

Extended Product Type	8517 BL
Product ID	2CLA851700A1101
EAN	8427238134727
Catalog Description	8517 BL - Cover plate for telephone/data outlets - Soft White
Long Description	Color: Soft White Cover plate for telephone/data outlet code: 8117 & 8118

Ordering

EAN	8427238134727
Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.077 m
Product Net Height	0.065 m
Product Net Depth / Length	0.172 m
Product Net Weight	0.014 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.077 m
Package Level 1 Height	0.065 m
Package Level 1 Depth / Length	0.172 m
Package Level 1 Gross Weight	0.14 kg
Package Level 1 EAN	8427238134727

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	White
Degree of Protection	IP20
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Sky Niessen
Product Name	Cover plate for telephone/data outlets - Soft White
Replaced Product ID (OLD)	2CL0851701
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
UNSPSC	39121704
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

