


PRODUCT-DETAILS

8539 BL

8539 BL - Cover plate for Universal socket outlet - Soft White



General Information

Extended Product Type	8539 BL
Product ID	2CLA853900A1101
EAN	8427238167558
Catalog Description	8539 BL - Cover plate for Universal socket outlet - Soft White
Long Description	Color: Soft White. Cover plate with universal type figure for universal socket outlet code: 8139.

Ordering

EAN	8427238167558
Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.054 m
Product Net Height	0.054 m
Product Net Depth / Length	0.075 m
Product Net Weight	0.014 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.126 m
Package Level 1 Height	0.071 m
Package Level 1 Depth / Length	0.140 m
Package Level 1 Gross Weight	0.14 kg
Package Level 1 EAN	8427238167558

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	White
Degree of Protection	IP20
Material	Thermoplastic
Product Main Type	Sky Niessen
Product Name	Cover plate for Universal socket outlet - Soft White
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
UNSPSC	39121704
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

