


PRODUCT-DETAILS

8588 CB

8588 CB - Cover plate for Schuko socket outlet - White Glass



General Information

Extended Product Type	8588 CB
Product ID	2CLA858800A2101
EAN	8427238136448
Catalog Description	8588 CB - Cover plate for Schuko socket outlet - White Glass
Long Description	Color: White Glass Cover plate for Schuko socket outlet code: 8188, 8188.5 & 8188.6

Ordering

EAN	8427238136448
Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.126 m
Product Net Height	0.071 m
Product Net Depth / Length	0.313 m
Product Net Weight	0.02 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.126 m
Package Level 1 Height	0.071 m
Package Level 1 Depth / Length	0.14 m
Package Level 1 Gross Weight	0.2 kg
Package Level 1 EAN	8427238136448

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	White
Degree of Protection	IP20
Material	Glass
Product Main Type	Sky Niessen
Product Name	Cover plate for Schuko socket outlet - White Glass
Replaced Product ID (OLD)	2CL085880B
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
UNSPSC	39121704
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

