


PRODUCT-DETAILS

8618.2 CN

8618.2 CN - Cover plate for data outlet 2-gangs - Black Glass



General Information

Extended Product Type	8618.2 CN
Product ID	2CLA861820A1501
EAN	8427238121932
Catalog Description	8618.2 CN - Cover plate for data outlet 2-gangs - Black Glass
Long Description	Ring color: Black Glass Cover plate for data outlets code: 2017.2, 2017.3, 2018, 2018.5, 2018.6 & 2018.8 Included: mounting grid without claws Without shutters and labeling area

Ordering

EAN	8427238121932
Minimum Order Quantity	2 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.075 m
Product Net Height	0.064 m
Product Net Depth / Length	0.075 m
Product Net Weight	0.06 kg

Container Information

Package Level 1 Units	box 2 piece
Package Level 1 Width	0.075 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Gross Weight	0.114 kg
Package Level 1 EAN	8427238121932

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Additional Information

Color	Black
Degree of Protection	IP20
Material	Glass
Mounting Type	Flush mounted (plaster)
Product Main Type	Sky Niessen
Product Name	Cover plate for data outlet 2-gangs - Black Glass
Replaced Product ID (OLD)	2CL0861825
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX860009A1001

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
UNSPSC	39121704
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Skymoon → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

