

PRODUCT-DETAILS

216MVS6XW

Explosion proof Switched interlocked outlets,
2P+E, 16 A, 200 ... 250 V



General Information

Extended Product Type	216MVS6XW
Product ID	2CMA101687R1000
EAN	7392696016872
Catalog Description	Explosion proof Switched interlocked outlets, 2P+E, 16 A, 200 ... 250 V
Long Description	Mechanical interlocked socket 16 A, IP 66, 2P+E, 200-250V, 50 and 60Hz, Gas explosion protection: II 2 G Ex de IIC T6 Gb, Dust explosion protection: II 2 D Ex tD A21 80°C Db, 2xM25 entries down, 1xM25 screw connection, 1xM25 stopping plug, Cable entry polyamide black, Switch handle can be locked in 0 and I position, IP66

Ordering

EAN	7392696016872
Country of Origin	Germany (DE)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	168 mm
Product Net Height	105 mm
Product Net Weight	1.120 kg

Container Information

Package Level 1 Width	138 mm
Package Level 1 Depth / Length	158 mm
Package Level 1 Height	345 mm
Package Level 1 Gross Weight	1.12 kg
Package Level 1 EAN	7392696016872
Package Level 1 Units	box 1 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0028
Environmental Information	2CMC000057M0000

Additional Information

Additional Information	2P+E
Ambient Temperature	-30 ... 55 °C
Cable Diameter	7 ... 17 mm
Cable Entry Position	Down
Color	Blue
Connection Type	Screw Clamp
Degree of Protection	IP66
Frequency (f)	50 Hz 60 Hz
Function	Explosion proof Switched interlocked outlet
Housing Material	Glass-fibre reinforced polyester
Invoice Description	Ind. P&S#216MVS6XW
Mounting Type	Vertical
Number of Poles	3
Order Multiple	1 piece
Product Main Type	CMVSX
Product Name	Industrial Mechanical interlocked socket
Protection Type	Explosion proof
Rated Current (I_n)	16 A
Rated Voltage (U_r)	200 ... 250 V
Standards	IEC 60309-1 IEC 60309-2 IEC 60529 IEC 60947-3
Instructions and Manuals	2CMC700014L0201
RAL Number	RAL 7001 - Silver Grey

Classifications

eClass	27440511
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Special Plugs & Sockets → Plugs & Sockets ATEX

