

## PRODUCT-DETAILS

# 332EC4

## Industrial Connectors, 3P+E, 32A, 100 ... 130 V



### General Information

|                       |                                                                                                              |
|-----------------------|--------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 332EC4                                                                                                       |
| Product ID            | 2CMA102038R1000                                                                                              |
| EAN                   | 7392696020381                                                                                                |
| Catalog Description   | Industrial Connectors, 3P+E, 32A, 100 ... 130 V                                                              |
| Long Description      | Industrial Connectors, 3P+E, 32A, 100 ... 130 V Clock Position Of Grounding Contact 4 hour Color code Yellow |

### Ordering

|                        |                     |
|------------------------|---------------------|
| EAN                    | 7392696020381       |
| Country of Origin      | Czech Republic (CZ) |
| Minimum Order Quantity | 10 piece            |

### Dimensions

|                    |         |
|--------------------|---------|
| Product Net Width  | 79 mm   |
| Product Net Height | 93 mm   |
| Product Net Weight | 0.28 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Width          | 154 mm        |
| Package Level 1 Depth / Length | 182 mm        |
| Package Level 1 Height         | 378 mm        |
| Package Level 1 Gross Weight   | 2.8 kg        |
| Package Level 1 EAN            | 7392696030700 |
| Package Level 1 Units          | box 10 piece  |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| CB Certificate                 | 2CHC660166X0201 |
| Declaration of Conformity - CE | 2CMC700005D0001 |
| Environmental Information      | 2CMC000056M0000 |
| RoHS Information               | 2CMC700005D0001 |
| SEMKO Certificate              | 1617363         |
| REACH Declaration              | 2CMC700005D0001 |

## Additional Information

|                         |                      |
|-------------------------|----------------------|
| Additional Information  | 3P+E                 |
| Ambient Temperature     | -25 ... 40 °C        |
| Cable Cross-Section     | 2.5 ... 6 mm²        |
| Cable Diameter          | 22 mm                |
| Cable Entry Position    | Swivel               |
| Color                   | Yellow               |
| Connection Type         | Screw                |
| Degree of Protection    | IP44                 |
| Frequency (f)           | 50 Hz<br>60 Hz       |
| Function                | Connector            |
| Housing Material        | Plastic (PA)         |
| Invoice Description     | Ind. P&S#332EC4      |
| Number of Poles         | 4                    |
| Order Multiple          | 10 piece             |
| Product Main Type       | EC                   |
| Product Name            | Industrial Connector |
| Protection Type         | Splashproof          |
| Rated Current ( $I_n$ ) | 32 A                 |
| Rated Voltage ( $U_r$ ) | 100 ... 130 V        |
| Recommended Screw       | PH2                  |

|                            |                                  |
|----------------------------|----------------------------------|
| Driver                     |                                  |
| Standards                  | IEC 60309-1, -2                  |
| Suitable for Product Class | IEC Industrial Plugs and Sockets |
| Instructions and Manuals   | 2CMC700014C0016                  |
| RAL Number                 | RAL 7012 - Basalt Grey           |

Classifications

|        |          |
|--------|----------|
| eClass | 27440509 |
| UNSPSC | 39120000 |

Technical

|                   |                  |
|-------------------|------------------|
| Wire Size         | 12 ... 10 AWG    |
| Tightening Torque | WireClamp1.2 N·m |

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Easy & Safe → Connectors

