


## PRODUCT-DETAILS

# 232QRS6W

## Ind. P&S#232QRS6W



### General Information

|                       |                                                                                                                                                                      |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 232QRS6W                                                                                                                                                             |
| Product ID            | 2CMA102359R1000                                                                                                                                                      |
| EAN                   | 7392696023597                                                                                                                                                        |
| Catalog Description   | Ind. P&S#232QRS6W                                                                                                                                                    |
| Long Description      | Wall mounted socket-outlet, earthing sleeve position 6h, rated current 32A, IP67 watertight, 2-poles+earth, frequency 50-60 Hz, color code Blue, Screwless terminals |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | E2405043      |
| EAN                    | 7392696023597 |
| Country of Origin      | Turkey (TR)   |
| Minimum Order Quantity | 5 piece       |

### Dimensions

|                    |          |
|--------------------|----------|
| Product Net Width  | 81 mm    |
| Product Net Height | 108 mm   |
| Product Net Weight | 0.378 kg |

### Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Width          | 150 mm        |
| Package Level 1 Depth / Length | 280 mm        |
| Package Level 1 Height         | 225 mm        |
| Package Level 1 Gross Weight   | 2.073 kg      |
| Package Level 1 EAN            | 7392696038324 |
| Package Level 1 Units          | box 5 piece   |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CMC700005D0001 |
| Environmental Information      | 2CMC000072M0000 |
| RoHS Information               | 2CMC700005D0001 |
| REACH Declaration              | 2CMC700005D0001 |

## Additional Information

|                            |                                  |
|----------------------------|----------------------------------|
| Additional Information     | 2P+E                             |
| Ambient Temperature        | -25 ... 40 °C                    |
| Cable Cross-Section        | 2.5 ... 6 mm²                    |
| Color                      | Blue                             |
| Connection Type            | Screwless                        |
| Degree of Protection       | IP67                             |
| Frequency (f)              | 50 Hz<br>60 Hz                   |
| Function                   | Outlet                           |
| Housing Material           | Plastic (PA)                     |
| Invoice Description        | Ind. P&S#232QRS6W                |
| Mounting Holes             | 75x49                            |
| Number of Poles            | 3                                |
| Order Multiple             | 5 piece                          |
| Product Main Type          | QRS                              |
| Product Name               | Wall mounted socket              |
| Protection Type            | Watertight                       |
| Rated Current ( $I_n$ )    | 32 A                             |
| Rated Voltage ( $U_r$ )    | 200 ... 250 V                    |
| Standards                  | IEC 60309-1, -2                  |
| Suitable for Product Class | IEC Industrial Plugs and Sockets |
| Instructions and Manuals   | 2CMC700014C0016                  |
| RAL Number                 | RAL 5015 - Sky Blue              |

## Classifications

|        |          |
|--------|----------|
| eClass | 27440510 |
| UNSPSC | 39120000 |

---

Categories

---

Low Voltage Products and Systems → Industrial Plugs and Sockets → Fast & Safe

