

## PRODUCT-DETAILS

# 432QBM6

## Ind. P&S#432QBM6



### General Information

|                       |                                                                                                                                             |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 432QBM6                                                                                                                                     |
| Product ID            | 2CMA102389R1000                                                                                                                             |
| EAN                   | 7392696023894                                                                                                                               |
| Catalog Description   | Ind. P&S#432QBM6                                                                                                                            |
| Long Description      | Panel mounted inlets, earthing sleeve position 6h, 3P+N+E, IP67, 32 A, 346 ... 415 V, minimized flange, screwless terminals, color code red |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | E2405071      |
| E-Number (Finland)     | 2420296       |
| EAN                    | 7392696023894 |
| Country of Origin      | Turkey (TR)   |
| Minimum Order Quantity | 10 piece      |

### Dimensions

|                    |           |
|--------------------|-----------|
| Product Net Width  | 70 mm     |
| Product Net Height | 70 mm     |
| Product Net Weight | 0.1652 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Width          | 150 mm        |
| Package Level 1 Depth / Length | 280 mm        |
| Package Level 1 Height         | 225 mm        |
| Package Level 1 Gross Weight   | 1.835 kg      |
| Package Level 1 EAN            | 7392696038607 |
| Package Level 1 Units          | box 10 piece  |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CMC700005D0001 |
| Environmental Information      | 2CMC000072M0000 |
| RoHS Information               | 2CMC700005D0001 |
| REACH Declaration              | 2CMC700005D0001 |

## Additional Information

|                         |                       |
|-------------------------|-----------------------|
| Additional Information  | 3P+N+E                |
| Ambient Temperature     | -25 ... 40 °C         |
| Cable Cross-Section     | 2.5 ... 10 mm²        |
| Color                   | Red                   |
| Connection Type         | Screwless             |
| Degree of Protection    | IP44                  |
| Design                  | Surface mounted plug  |
| Frequency (f)           | 50 Hz<br>60 Hz        |
| Function                | Inlet                 |
| Housing Material        | Plastic (PA)          |
| Invoice Description     | Ind. P&S#432QBM6      |
| Mounting Holes          | 56x56                 |
| Number of Poles         | 5                     |
| Order Multiple          | 10 piece              |
| Product Main Type       | QBM                   |
| Product Name            | Panel mounted inlet   |
| Protection Type         | Splashproof           |
| Rated Current ( $I_n$ ) | 32 A                  |
| Rated Frequency (f)     | 50...60 Hz            |
| Rated Voltage ( $U_r$ ) | 200/346 ... 240/415 V |
| Standards               | IEC 60309-1, -2       |

|                            |                                  |
|----------------------------|----------------------------------|
| Suitable for Product Class | IEC Industrial Plugs and Sockets |
| Instructions and Manuals   | 2CMC700014C0016                  |
| RAL Number                 | RAL 3002 - Carmine Red           |

Classifications

|        |          |
|--------|----------|
| eClass | 27440519 |
| UNSPSC | 39120000 |

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Fast & Safe

