

PRODUCT-DETAILS

# 316QR9W

## Ind. P&S#316QR9W



### General Information

Extended Product Type	316QR9W
Product ID	2CMA102889R1000
EAN	7392696028899
Catalog Description	Ind. P&S#316QR9W
Long Description	Panel mounted socket outlets, earthing sleeve position 9h, 3P+E, rated current 16A, 200 ... 250 V, unified flange, color code Blue, Screwless terminals

### Ordering

EAN	7392696028899
Country of Origin	Turkey (TR)
Minimum Order Quantity	10 piece

### Dimensions

Product Net Width	75 mm
Product Net Height	114 mm
Product Net Weight	0.13 kg

---

**Container Information**


---

Package Level 1 Width	150 mm
Package Level 1 Depth / Length	280 mm
Package Level 1 Height	225 mm
Package Level 1 Gross Weight	1.483 kg
Package Level 1 EAN	7392696042321
Package Level 1 Units	box 10 piece

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

---



---

**Certificates and Declarations (Document Number)**


---

Declaration of Conformity - CE	2CMC700005D0001
Environmental Information	2CMC000072M0000
RoHS Information	2CMC700005D0001
REACH Declaration	2CMC700005D0001

---



---

**Additional Information**


---

Additional Information	3P+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	1.5 ... 4 mm <sup>2</sup>
Color	Blue
Connection Type	Screwless
Degree of Protection	IP67
Frequency (f)	50 Hz 60 Hz
Function	Outlet
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#316QR9W
Mounting Holes	60x60
Number of Poles	4
Order Multiple	10 piece
Product Main Type	QR
Product Name	Panel mounted socket
Protection Type	Watertight
Rated Current ( $I_n$ )	16 A
Rated Frequency (f)	50...60 Hz
Rated Voltage ( $U_r$ )	200 ... 250 V
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700014C0016

RAL Number

RAL 5015 - Sky Blue

---

### Classifications

---

eClass

27440504

UNSPSC

39120000

---

---

### Categories

---

Low Voltage Products and Systems → Industrial Plugs and Sockets → Fast & Safe

